USPTO Form 1449 U.S. Department of Commerce				Attorney Docket No. 18 (formerly 3265/85)		Serial No. 09/484,629			
Patent and Trademark Office				Applicant(s): Robinson, et al.			EIVED		
INITO	INFORMATION DISCLOSURE STATEMENT O I P Riling Date: Lanuary 18, 2000 Linknown								
INFU	RWA	TION	DISCLUSURE STATI	ENTERNY -	January 18, 2000)	11.11	Unknov 2 N 2000	vn
				JUL 1 8 200	0 CS		JUL	<u> 7 0 7001</u>	
U.S.	PATE	NT DO	CUMENTS	\≠.	် ၈		1 111 37	ाट्स १५५५	72906
Exam Initi			Patent No.	Reno RADEMARK	Name	Class	Subclass	Filing D	Pate
-				•					1
						 			
		ļ		•			ļ		İ
						 			
								•	
FOR	EIGN	PATE	NT DOCUMENTS		T	Τ	T	· · · · · ·	
Examiner			Document No.	Date	Country	Class	Subclass	Translation	
Initi	ial							YES	NO
 			· · · · · · · · · · · · · · · · · · ·					122	
···									
OTH	ER D	<u>OCUM</u>	ENTS (including Auth	or, Title, Date, Per	tinent Pages, etc.)				
	HER DOCUMENTS (including Author, Title, Date, Pertinent Pages, etc.) Al-Shawi, Raya, et al. (1990). Expression of a Foreign Gene in a Line of Transgenic Mice Is Modulated by a Chromosomal Position Effect. Molecular and Cellular Biology. 10, 1192-98.								
< /1	Chromosomal Position Effect. Molecular and Cellular Biology. 10, 1192-98.								
		Ang, H-L, et al. (1994). Over-expression of oxytocin in the testes of a transgenic mouse model. <i>Journal of</i>							
Ī		•			oxytociii iii iiie testes oi	a mansgem	c mouse mo	uci. Jou	mai oj
		Endocrinology. 140, 53-62.							
						n in Semini	ferous Tubu	les of Ca	ittle and
			Ang, Hwee-Luan, et al. (1991). Testicular Oxytocin Gene Expression in Seminiferous Tubules of Cattle and Transgenic Mice. <i>Endocrinology</i> . 128, 2110-17.						
			Danariae Shilni A et	al (1004) DNA rec	gulatory sequences of the	rat tyrosine	hydroxylase	gene di	rect
		•	correct catecholaminer	gic cell-type specificit	y of a human growth horn	none report	er in the CN	S of tran	nsgenic
			mice causing a dwarf	phenotype. Molecular	Brain Research. 24, 89-	106.			
							., ,,		
}		d	Dartic, 11., et al (1900). Interestely in Transgeries				sion:		
	Evidence for Luteal Failure. The Journal of Experimental Zoology. 248, 121-124.								
		مر	Bartke, A., et al. (199	2). Effects of express	ion of human or bovine g	rowth horm	one genes of	n sperm	
			production and male re	eproductive performan	ce in four lines of transge	nic mice.	Iournal of R	eproduct	ion &
			Fertility. Abstract Ser	ies/Society for the Stud	dy of Fertility. 95, 109-1	18.			
			D 10 C	1 (1000) Ti	ific and position indep	andant evar	accion of the	comple	te gene
		*	Bonifer, Constanze, et al. (1990). Tissue specific and position independent expression of the complete gene domain for chickent lysozyme in transgenic mice. European Molecular Biology Organisation Journal. 9,						
			2843-48.	sozyme m transgeme	anoc. Zaropean nzores		6		ĺ
	1								
		`	Boss, Olivier, et al. (1	997). Uncoupling pro	otein-3: a new member of	f the mitoch	ondrial carri	ier famil	y with
	1		tissue-specific express	ion. Febs Letters. 40	8, 39-42.				
			Rowie Kahle F et s	ol (1997) The Rat C	Corpulent (cp) Mutation M	aps to the S	Same Interva	l on (Pgi	m1-
		'	Glut1) Rat Chromosor	ne 5 as the Fatty (fa) I	Mutation. Obesity Resear	ch. 5, 142	-5.	. 3	ļ
	1	'			ression of human insulin	gen in trans	genic mice.	Nationa	ı
	-		Academy of Sciences.	83, 2511-15.					

Ja Waiton 8/10/01

<u> </u>		
7w	4	Chen, Hong, et al. (1996). Evidence that the Diabetes Gene Encodes the Leptin Receptor: Indentification of a Mutation in the Leptin Receptor Gene in db/db Mice. <i>Cell.</i> 84, 491-495.
	J	Coleman, D.L. and Eicher, E. M. (1990). Fat (fat) and Tubby (tub): Two Autosomal Recessive Mutations Causing Obesity Syndromes in the Mouse. <i>Journal of Hereditary</i> . 81, 424-27.
	ય	Comuzzie, Anthongy G. and Allison, David B. (1998). The Search for Human Obesity Genes. <i>Science</i> . 280, 1374-77.
(01 P.B)	150	Cool, David R., et al. (1997). Carboxypeptidase E is a Regulated Secretory Pathway Sorting Receptor: Genetic Obliteration Leads to Endocrine Disorders in Cpe ^{fat} Mice. <i>Cell.</i> 88, 73-83.
JUL 1/8 200	FICE	Fan, Wei, et al. (1997). Role of melanocortinergic neurons in feeding and the agouti obesity syndrome. <i>Nature</i> . 385, 165-8.
& TRADEMA		Flavell, D.M., et al. (1996). Dominant dwarfism in transgenic rats by targeting human growth hormone (GH) expression to hypothalamic GH-releasing factor neurons. <i>European Molecular Biology Organisation Journaal</i> . 15, 3871-79.
	•	Fujiwara, Y., et al. (1997). Position-Independent and High-Level Expression of Human α-Lactalbumin in the Milk of Transgenic Rats Carrying a 210-kb YAC DNA. <i>Molecular Reproduction and Development</i> . 47, 157-163
	í	Good, Deborah J., et al. (1997). Hypogonadism and obesity in mice with a targeted deletion of the Nhlh2 gene. <i>Nature Genetics</i> . 15, 397-401.
	٠	Graham, Melissa (1997). Overexpression of Agrt leads to obesity in transgenic mice. <i>Nature Genetics</i> . 17, 273-274.
	•	Grant, Frederick D., et al. (1993). Expression of the Rat Arginine Vasopressin Gene in Transgenic Mice. <i>Molecular Endocrinology</i> . 7, 659-67.
	•	Grosveld, Frank, et al. (1987). Position-Independent, High-Level Expression of the Human β -Globin Gene in Transgenic Mice. <i>Cell.</i> 51, 975-85.
		Habener, Joel F., et al. (1989). Metallothionein-Vasopressin Fusion Gene Expression in Transgenic Mice. Journal of Biological Chemistry. 264, 18844-52.
	,	Hammer, Robert E., et al. (1985). Production of transgenic rabbits, sheep and pigs by microinjection. Nature. 315, 680-83.
		Hanahan, Douglas, et al. (1983). Studies on Transformation of Escherichia coli with Plasmids <i>Journal of Molecular Biology</i> . 166, 557-580.
		Ho, Mei-Yin, et al. (1995). Bovine Oxytocin Transgenes in Mice. <i>Journal of Biological Chemistry</i> . 270, 27199-05.
	•	Hollingshead, Philiip G., et al. (1989). A Dominant Phenocopy of Hypopituitarism in Transgenic Mice Resulting from Central Nervous System Synthesis of Human Growth Hormone. <i>Endocrinology</i> . 125, 1556-64.
	đ	Huber, Matthias, et al. (1994). Chromosomal position effects in chicken lysozyme gene transgenic mice are correlated with supression of Dnase I hypersensitive site formation. <i>Nucleic Acids Research</i> . 22, 4195-4201.
	4	Huszar, Dennis, et al. (1997). Targeted Disruption of the Melanocortin-4 Receptor Results in Obesity in Mice. Cell Press. 88, 131-141.
	,	Jamal, Zahirali, et al. (1997). Phosphatidate phosphohydrolases in liver, heart and adipose tissue of the JCF:LA corpulent rat and the lean genotypes: implications for glycerolipid synthesis and signal transduction.

Ja Wortael = 8/10/01

7	- 3		₩. 6Q	
	. (pile ^r	pig-	International Journal of Obesity. 116, 789-99.
	7	ω_{-}	٠	Jones, Beverly K., et al. (1995). The Human Growth Hormone Gene is Regulated by a Multicomponent Locus Control Region. <i>Molecular and Cellular Biology</i> . 15, 7010-21.
		<u> </u>	,	Klebig, M.L., et al. (1995). Ectopic expression of the agouti gene in transgenic mice causes obesity, features of type II diabetes, and yellow fur. <i>National Academy of Sciences</i> . 92, 4728-32.
	6	I P		Kristensen, Peter, et al. (1998). Hypothalamic CART is a new anorectic peptide regulated by leptin. <i>Nature</i> . 393, 72-76.
	JUL	8 200	JC56	Kleyn, Patrick W., et al. (1996). Identification and Characterization of the Mouse Obesity Gene tubby: A Member of a Novel Gene Family. <i>Cell Press.</i> 85, 281-90.
	S TRA	DEMARY		Lacy, Elizabeth, et al. (1983). A Foreign β-Globin Gene in Transgenic Mice: Integration at Abnormal Chromosomal Positions and Expression in Inappropriate Tissues. <i>Cell.</i> 34, 343-358.
			,	Lecea, L. De, et al (1998). The hypocretins: Hypothalamus-specific peptides with neuroexcitatory activity. National Academy of Sciences. 95, 322-327.
			,	Lee, G.H., et al. (1997). Leptin receptor mutations in 129 db ^{3J} /db ^{3J} mice and NIH fa ^{cp} /fa ^{cp} rats. <i>Mammalian Genome</i> . 8, 445-7.
				McGrane, Mary M., et al. (1988). Tissue-specific Expression and Dietary Regulation of a Chimeric Phosphoenolypruvate Carboxykinase/Bovine Growth Hormone Gene in Transgenic Mice. <i>Journal of Biological Chemistry</i> . 263, 11443-51.
			,	Miller, Miles, W., et al. (1993). Cloning of the mouse agouti gene predicts a secreted protein ubiquitously expressed in mice carrying the lethal yellow mutation. <i>Genes & Development</i> . 7, 454-467.
				Millet, Laurence, et al. (1997). Increased Uncoupling protein-2 and -3 mRNA Expression during Fasting in Obese and Lean Humans. <i>Journal of Clinical Investigations</i> . 100, 2665-70.
			,	Moon Byoung Chon and Jeffrey M. Friedman (1997). The Molecular Basis of the Obese Mutation in ob ²¹ Mice. <i>GENOMICS</i> . 42, 152-6.
				Morello, D., et al. (1986). Studies on the expression of an H-2K/human growth hormone fusion gene in giant transgenic mice. <i>European Molecular Biology Organisation Journal</i> . 5, 11877-83.
			,	Murphy D. and Ho, M.Y. (1995). Oxytocin Transgenic Mice. Oxytocin. 395, 67-78.
			٢	Naggert, Jürgen K., et al. (1995). Hyperproinsulinaemia in obese fat/fat mice associated with a carboxypeptidase E mutation which reduces enzyme activity. <i>Nature Genetics</i> . 10, 135-142.
				North, Michael A., et al (1997). Molecular characterization of TUB, TULP1, and TULP2, members of the novel tubby gene family and their possible relation to ocular diseases. <i>National Academy of Sciences</i> 94, 128-33.
			,	Ohki-Hamazaki, Hiroko, et al (1997). Mice lacking bombesin receptor subtype-3 develop metabolic defects and obesity. <i>Nature</i> . 390, 165-169.
			ça.	Ollmann, Michael M. (1997). Antagonism of Central Melanocortin Receptors in Vitro and in Vivo by Agouti-Related Protein. <i>Science</i> . 278, 135-138.
				Ornitz, David M. et al. (1985). Specific expression of an elastase-human growth hormone fusion gene in pancreatic acinar cells of transgenic mice. <i>Nature</i> . 313, 600-02.
			كون	Palmiter, Richard D., et al. (1982). Dramatic growth of mice that develop from eggs microinjected with metallothionein-growth hormone fusion genes. <i>Nature</i> . 300, 611-615.

Joe Wotare 8/10/01

, ; ;	<u> </u>					
9	w	•	Pursel, Vernon G., et al. 1989). Genetic Engineering of Livestock. Science. 244,	1281-87.		
		,	Qu, Daqing, et al. (1996). A role for melanin-concentrating hormone in the central r behaviour. <i>Nature</i> . 380, 243-247.	egulation of feeding		
		4	Richard, Denis, et al. (1996). Expression of Corticotropin-Releasing Factor and Its Lean and Obese Zucker Rats. <i>Endocrinology</i> . 137, 4786-95.	Receptors in the Brain of		
0	IP	K)	Quaife, Carol J., et al. (1989). Histopathology Associated with Elevated Levels of G Insulin-Like Growth Factor I in Transgenic Mice. <i>Endocrinology</i> . 124, 40-48.	rowth Hormone and		
1	1 8 20	3	Russo, Andrew F., et al. (1988). Neuronal Expression of Chimeric Genes in Transgo 311-320.	enic Mice. Neuron. 1,		
FIRA	DEMAR	rgi, '	Sakurai, Takeshi, et al. (1998). Orexins and Orexin Receptors: A family of Hypotha G Protein-Coupled Receptors that Regulate Feeding Behavior. <i>Cell.</i> 92, 573-85.	lamic Neuropeptides and		
	•	ſ	Sausville, Edward, et al. (1985). The Human Vasopresin Gene is Linked t the Oxyto Selectively Expressed in a Cultured Lung Cancer Cell Line. <i>Journal of Biological Ch</i>	ocin Gene and Is nemistry. 260, 10236-41.		
Shanahan, Catherine M., et al Hormone Fusion Gene in Trar		120	Shanahan, Catherine M., et al. (1989). Regulation of Expression of a Sheep Metallot Hormone Fusion Gene in Transgenic Mice. <i>Molecular and Cellular Biology</i> . 9, 5473	hionein la-Sheep Growth 3-79.		
		4	Short, Mary K., et al. (1992). Tissue-Specific, Developmental, Hormonal, and Dietar Phosphoenolpyruvate Carboxykinase-Human Growth Hormone Fusion Genes in Transand Cellular Biology. 12, 1007-20.	y Regulation of Rat genic Mice. <i>Molecular</i>		
		,	Soichi, Takiguchi, et al. (1998). A disrupted cholecystokinin A receptor gene induces synergistically with ODB1 gene. <i>American Journal of Physiology</i> . 274, E265-70.	diabetes in obese rats		
		,	Stewart, Timothy, et al. (1992). An Evaluation of the Functions of the 22-Kilodalton the N-Terminal Polypeptide Forms of Human Growth Hormone Using Transgenic Mic 130, 405-414.	(kDa), the 20-kDa, and ce. Endocrinology.		
			Szabo, Marta, et al. (1995). Autofeedback Suppression of Growth Hormone (GH) Sed Mice Expressing a Human GH Reporter Targeted by Tyrosine Hydroxylase 5' -Flank Hypothalamus. <i>Endocrinology</i> . 136, 4044-48.	cretion in Transgenic ing Sequences to the		
		^	Takaya, Kazuhiko, et al. (1996). Molecular Cloning of Rat Leptin Receptor Isoform (Identification of a Missense Mutation in Zucker Fatty (fa/fa) Rats. <i>Bichemical and Bic Communications</i> . 225, 75-83.	Complementary DNAs - ophysical Research		
Т 8		¥	Tartaglia, Louis A., et al. (1995). Identification and Expression Cloning of a Leptin Receptor, OB-R. <i>Cell</i> . 83, 1263-71.			
		pi.	Vidal-Puig, Antonio (1997). UCP3: An Uncoupling Protein Homologue Expressed Preferentially and Abundantly in Skeletal Muscle and Brown Adipose Tissue. <i>Biochemical and Biophysical Research Communications</i> . 235, 79-82.			
T		,	Zeng, Q., et al. (1994). Expression of a rat vasopressin transgene in rat testes. Journal Fertility. Abstract series/Society for the Study of Fertility. 102, 471-81.	al of Reproduction &		
EXAM	/INE	R	Joe Worland DATE CONSIDER 8/10/			
*EXAMIN	ER: Init	ial if referer	ence considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not or	anidanad Include access Called		

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to Applicant.

^{**}Copies of references not provided at the time of this submission.